ELSEVIER

Applied Numerical Mathematics 22 (1996) 495–496

APPLIED NUMERICAL MATHEMATICS

Author Index—Volume 22 (1996)

(The issue number is given in front of page numbers)

Albrecht, P., The common basis of the theories of linear cyclic methods and Runge–Kutta methods (1–3) 3–22

Aubry, A. and **P. Chartier**, On the structure of errors for Radau IA methods applied to index-2 DAEs (1–3) 23–34

Auzinger, W., **R. Frank** and **H.J. Stetter**, Vienna contributions to the development of RK-methods (1–3) 35–49

Baker, T.S., **J.R. Dormand**, **J.P. Gilmore** and **P.J. Prince**, Continuous approximation with embedded Runge–Kutta methods (1–3) 51–62

Bellen, A. and **R. Vermiglio**, Some applications of continuous Runge–Kutta methods (1–3) 63–79

Burrage, K. and **P.M. Burrage**, High strong order explicit Runge–Kutta methods for stochastic ordinary differential equations (1–3) 81–101

Burrage, P.M., see **Burrage, K.** (1–3) 81–101

Butcher, J.C. and **J.M. Sanz-Serna**, The number of conditions for a Runge–Kutta method to have effective order *p* (1–3) 103–111

Butcher, J.C. and **G. Wanner**, Runge–Kutta methods: some historical notes (1–3) 113–151

Calvo, M.P., **A. Iserles** and **A. Zanna**, Runge–Kutta methods for orthogonal and isospectral flows (1–3) 153–163

Cash, J.R., Runge–Kutta methods for the solution of stiff two-point boundary value problems (1–3) 165–177

Chan, R.P.K., A-stability of implicit Runge–Kutta extrapolations (1–3) 179–203

Chartier, P., see **Aubry, A.** (1–3) 23–34

Dervieux, A., see **Palmerio, B.** (4) 477–493

Dongarra, J.J., **B. Straughan** and **D.W. Walker**, Chebyshev tau-QZ algorithm methods for calculating spectra of hydrodynamic stability problems (4) 399–434

Dormand, J.R., see **Baker, T.S.** (1–3) 51–62

Enright, W.H., see **Hull, T.E.** (1–3) 225–236

Frank, R., see **Auzinger, W.** (1–3) 35–49

Ganesh, M., A general convergence theory for nonlinear equations with application to integro-differential equations (4) 435–449

Gilmore, J.P., see **Baker, T.S.** (1–3) 51–62

Gladwell, I., see **Shampine, L.F.** (1–3) 293–308

Hairer, E. and **M. Zennaro**, On error growth functions of Runge–Kutta methods (1–3) 205–216

Higham, D.J., Runge–Kutta type methods for orthogonal integration (1–3) 217–223

Hout, K.J. in 't, On the stability of adaptations of Runge–Kutta methods to systems of delay differential equations (1–3) 237–250

Houwen, P.J. van der and **B.P. Sommeijer**, CWI contributions to the development of parallel Runge–Kutta methods (1–3) 327–344

Hull, T.E., **W.H. Enright** and **K.R. Jackson**, Runge–Kutta research at Toronto (1–3) 225–236

Iserles, A., see **Calvo, M.P.** (1–3) 153–163

Jackiewicz, Z., **R. Vermiglio** and **M. Zennaro**, Regularity properties of Runge–Kutta methods for ordinary differential equations (1–3) 251–262

Elsevier Science B.V.

Jackson, K.R., see **Hull, T.E.** (1–3) 225–236

Kværnø, A., S.P. Nørsett and **B. Owren**, Runge–Kutta research in Trondheim (1–3) 263–277

Lubich, C. and **A. Ostermann**, Runge–Kutta time discretization of reaction–diffusion and Navier–Stokes equations: nonsmooth-data error estimates and applications to long-time behaviour (1–3) 279–292

Mannix Jr., C.E., Potential function construction by use of an adaptive mesh algorithm for a class of singular integral equations (4) 451–475

Nørsett, S.P., see **Kværnø, A.** (1–3) 263–277

Ostermann, A., see **Lubich, C.** (1–3) 279–292
Owren, B., see **Kværnø, A.** (1–3) 263–277

Palmerio, B. and **A. Dervieux**, Multimesh and multiresolution analysis for mesh adaptive interpolation (4) 477–493
Prince, P.J., see **Baker, T.S.** (1–3) 51– 62

Sanz-Serna, J.M., see **Butcher, J.C.** (1–3) 103–111
Shampine, L.F. and **I. Gladwell**, Software based on explicit RK formulas (1–3) 293–308
Sommeijer, B.P., see **Houwen, P.J. van der** (1–3) 327–344
Spijker, M.N., Error propagation in Runge–Kutta methods (1–3) 309–325
Stetter, H.J., see **Auzinger, W.** (1–3) 35– 49
Straughan, B., see **Dongarra, J.J.** (4) 399–434
Strehmel, K., see **Wensch, J.** (1–3) 381–398

Vermiglio, R., see **Bellen, A.** (1–3) 63– 79
Vermiglio, R., see **Jackiewicz, Z.** (1–3) 251–262
Verner, J.H., High-order explicit Runge–Kutta pairs with low stage order (1–3) 345–357
Verwer, J.G., Explicit Runge–Kutta methods for parabolic partial differential equations (1–3) 359–379

Walker, D.W., see **Dongarra, J.J.** (4) 399–434
Wanner, G., see **Butcher, J.C.** (1–3) 113–151
Weiner, R., see **Wensch, J.** (1–3) 381–398
Wensch, J., K. Strehmel and **R. Weiner**, A class of linearly-implicit Runge–Kutta methods for multibody systems (1–3) 381–398

Zanna, A., see **Calvo, M.P.** (1–3) 153–163
Zennaro, M., see **Hairer, E.** (1–3) 205–216
Zennaro, M., see **Jackiewicz, Z.** (1–3) 251–262